

Manufacturer	Type	S/N	Year	Weight	Details
WHEEL LOADER					
Caterpillar	938 F	2 RM 00739	1995	14 t	Bucket without Teeth
Caterpillar	980 G Serie II	CAT0980GEAXG0092 8	2004	30,5 t	Air-Condition; Central Grease; Bucket with Teeth
Caterpillar	988 B	50 W 1790	1977	42 t	Bucket with Teeth
Caterpillar	IT 12 B	1 KF 00087	1990	8 t	Hydr. Quickcoupler; 3. Hydr. Function; Light-Material-High-Dump-Bucket
Caterpillar	IT 28 G	CATIT28GJWAC 00517	2005	12 t	Air-Condition; Hydr. Quickcoupler; 3. Hydr. Function; Tire-Ballast; Bucket without Teeth
Faun	F 1310	3833813	1989	12 t	Bucket without Teeth
Liebherr	L 538	14672	2006	14 t	Air-Condition; Tire-Ballast; Light-Material-High-Dump-Bucket
Liebherr	L 550 2plus2	VATZ0456VZB016978	2007	18,5 t	Air-Condition; Central Grease; Bucket with Teeth
Volvo	L 120 C	L120CV11253	1996	20,5 t	Scale; 3. Hydr. Function; Bucket without Teeth
Volvo	L 120 C	L120CV11051	1996	20,5 t	Air-Condition; Hydr. Quickcoupler; 3. and 4. Hydr. Function; Bucket with Teeth
Volvo	L 120 E	L 120 EV 17420	2003	21,2 t	Central Grease; Bucket with Teeth
Volvo	L 150 E				
Volvo	L 150 E	L 150 EV 6333	2002	24 t	Air-Condition; Bucket without Teeth
Volvo	L 150 E	L 150 EV 8401	2004	24 t	Air-Condition; Central Grease; Bucket with Teeth
Volvo	L 180 D-HL	L 180 DV 4085	2000	37 t	
Volvo	L 180 E HL	L 180 EV 5215	2002	37 t	Air-Condition; Central Grease; Highlift Maschine
Volvo	L 220 E	L 220 EV 2276	2002	35 t	Air-Condition; Central Grease; Bucket with Teeth
Volvo	L 35 B	L 35 BD 1862561	2002	6 t	Hydr. Quickcoupler; 4 in 1-Bucket
Volvo	L 60 E	L 60 EV 1379	2003	13 t	Air-Condition; Central Grease; Light-Material-Bucket
Volvo	L 70 C	L 70 CV 12938	1996	11,5 t	Cab; Hydr. Quickcoupler; 3. Hydr. Function

Manufacturer	Type	S/N	Year	Weight	Details
--------------	------	-----	------	--------	---------

LOADER BACKHOE

Fermec	MF 760 Turbo	SMFA44TCOW76038 24	1999	7,5 t	4 in 1-Bucket; Extending Arm; 1 bucket
Fermec	MF 965	SMFA544CXP965064 4	1993	8,5 t	4 in 1-Bucket; Extending Arm; 1 bucket
Massey Ferguson	MF 860	SMF A542CXS8604499	1995	7,5 t	4 in 1-Bucket; Extending Arm; 1 bucket

HANDLING MACHINE

Fuchs	MHL 331	3311100293	2000	22,5 t	4 Stabilizer/Outriggers; Hydraulic-Elevator-Cab; Air-Condition; Hydraulic Lines; Central Grease
Liebherr	A 902 Litronic	3573721	1996	20 t	Hydraulic Lines; Scrap-Grapple
Liebherr	A 912 Litronic	4195077	1998	22 t	4 Stabilizer/Outriggers; Fixed-High-Mount-Cab; Air-Condition; Hydraulic Lines; Scrap-Grapple
Liebherr	A 922 Litronic	4213036	1995	24 t	Dozer-Blade; 4 Stabilizer/Outriggers; Fixed-High-Mount-Cab; Hydraulic Lines
Sennebogen	825 M	8250262	2000	23,5 t	4 Stabilizer/Outriggers; Hydraulic-Elevator-Cab; Solid Tires; Central Grease; generator;

HYDRAULIC LOADING SHOVEL

Liebherr	R 964 Litronic	4070220	1996	60 t	Air-Condition; 4 in 1 bucket;
----------	----------------	---------	------	------	-------------------------------

MOBILE EXCAVATOR

Atlas	1604	166 M 301350	1998	17 t	Hydr. Quickcoupler; Hammer- and Grapplelines; Hydr- 2-piece-Boom; 1 bucket
Caterpillar	M 318	8 AL 02422	1998	19 t	Hydr. Quickcoupler; Hammer- and Grapplelines
Caterpillar	M 318	8 AL 02923	2001	19 t	Hydr. Quickcoupler; Hammer- and Grapplelines; 1 bucket
Caterpillar	M 322 C	CATM322CTBDK0016 8	2003	23 t	Hydr. Quickcoupler; Hammer- and Grapplelines; Hydr- 2-piece-Boom; Ditch-Cleaning-Bucket; 20 km/h

Manufacturer Type S/N Year Weight Details

TRACKED EXCAVATOR

Akerman	H 10 BLC	H10BLC-2304	1985	21 t	
Caterpillar	245	84 X 0671	1982	62 t	Bucket approx. 140 cm
Caterpillar	320 D	CAT0320DEKGF0029 8	2008	21 t	Air-Condition; Hydr. Quickcoupler; Hammer- and Grapplelines; Bucket approx. 140 cm
Caterpillar	320 N	9 WG 00894	1993	21 t	1 bucket
Caterpillar	323 D	CAT0323DABYM0015 2	2007	24,5 t	Air-Condition; Electr. Refueling Pump; Hammer- and Grapplelines; 1 bucket
Caterpillar	323 D L	CAT0323DJSDC0073 4	2007	24,5 t	Air-Condition; Electr. Refueling Pump; Hydr. Quickcoupler; Hammer- and Grapplelines; 1 bucket
Caterpillar	323 DL	CAT0323DJSDC0080 1	2007	24,5 t	Air-Condition; Electr. Refueling Pump; Hydr. Quickcoupler; Hammer- and Grapplelines; 1 bucket
Caterpillar	325 L	3 LL 01243	1996	28 t	Quickcoupler; Hammer- and Grapplelines; 1 bucket
Komatsu	PC 210 - 3	K 10295	1988	21 t	1 bucket
Komatsu	PC 240 LC-6 K	K 32603	2000	24 t	1 bucket
Komatsu	PC 240 NLC-6K	K 32285	1999	24 t	Air-Condition; Hydr. Quickcoupler; Hammer- and Grapplelines; 1 bucket
Komatsu	PC 800 LC-8	K 50050	2007	80 t	Air-Condition; Hammer Lines; Central Grease; CE, Rock Bucket 5,5 m³; Shoes 710 mm; Boom 7100 mm-Quarry version; Stick 2900 mm-protected; Undercarriage telescopable from 3390 mm to 4110 mm; KOMTRAXT
Liebherr	R 924 HDSL Litronic	645-6120	1999	25 t	Air-Condition; Hammer- and Grapplelines; 1 bucket
Liebherr	R 934 BHDSLitronic	923-11256	2003	30 t	Air-Condition; Hydr. Quickcoupler; Hammer- and Grapplelines; Bucket approx. 160 cm
Liebherr	R 944 BHDS Litronic	651-11688	2003	35 t	Hydr. Quickcoupler; Hammer Lines; 1 bucket
Liebherr	R 954 HD Litronic	494-208	1994	50 t	Hydr. Quickcoupler; Hammer Lines; 1 bucket
O&K	RH 6	84938	1982	20 t	

TUNNELING EXCAVATOR

Liebherr	R 900 HDS Litronic	WLHZ 0606 TZK 019157	2004	23 t	Dozer-Blade; Quickcoupler; Hammer Lines
----------	--------------------	-------------------------	------	------	---

Manufacturer	Type	S/N	Year	Weight	Details
--------------	------	-----	------	--------	---------

CRAWLER LOADER

Caterpillar	943 LGP	19 Z 00530	1986	12 t	Cab; Bucket with Teeth
-------------	---------	------------	------	------	------------------------

DOZER

Caterpillar	D 6 R XL	9 BM 00754	1999	21 t	Straight-Tilt-Blade; 3-Shank-Ripper
Caterpillar	D 9 L	14 Y 00792	1981	59 t	EROPS-Cab; Semi U-Tilt-Blade; Single-Schank-Ripper
Caterpillar	D 9 N	6 XJ 00589	1993	49 t	Air-Condition; Semi U-Tilt-Blade; Counterweight
Komatsu	D 375 A-5	18179	2003	68,5 to	EROPS-Cab; Air-Condition; Semi U-Tilt-Blade; Single-Schank-Ripper
Komatsu	D 41 E-6	B 20199	1996	12 t	EROPS-Cab; PAT-Blade
Komatsu	D65 EX-12	65312	2002	20 t	Air-Condition; Straight-Tilt-Blade; Ripper Valve

MOTOR GRADER

Caterpillar	120 G	4 HD 02417	1994	14 t	Cab; Frontblade; Scarifier; Hydraulic-Blade Tip Control; articulated
Komatsu	GD 650 A-2E	202009	1995	15 t	Cab; Air-Condition; Rearripper; Hydraulic-Blade Tip Control
O&K	F 106 A	105713	1993	12 t	Frontblade; Rearripper; Hydraulic-Blade Tip Control; All-Wheel-Drive
O&K	F 156 A	107428	2001	15,5 t	Frontblade; Hydraulic-Blade Tip Control; All-Wheel-Drive

Manufacturer	Type	S/N	Year	Weight	Details
--------------	------	-----	------	--------	---------

DUMP TRUCK

Caterpillar	771 D	X6YS00417	2001	35 t	Load Capacity - heaped 27,5 m³;
Caterpillar	773 D	7 ER 00970	1998	40 t	Air-Condition; 35,2 m3; carrying capacity 53 t;
Volvo	A 25 C 6x6	5350 V 13030	2001	17 t	articulated; All-Wheel-Drive
Volvo	A 25 C, 4x4	5350 V 11896	1999	11,5 t	articulated; All-Wheel-Drive
Volvo	A 25 E	VCE0A25EE00013596	2008	21,5 to	articulated; 6x6
Volvo	A 30 D	A 30 DV 10031	2002	23 t	articulated; All-Wheel-Drive; Air-Condition
Volvo	A 35 6x6	A35V1662	1991	25,3 t	articulated; All-Wheel-Drive
Volvo	A 35 6x6	A35/1684	1991	23,5 t	articulated; 6x6
Volvo	A 35 6x6	A 35 V 1685	1991	25,3 t	articulated; 6x6

COMBINATION ROLLER

ABG	Puma 169 AV	1693231	1988	7,7 t	Cab; articulated
ABG	Puma 169 AV	1694017	1990	7,7 t	Cab; articulated
Ammann	AV 23-2K	TFAAW23KY6002052 1	2006	2,3 t	articulated; Water-Sprinkeling-System
Bomag	BW 100 AD	1015003076	1990	2,1 t	articulated; Water-Sprinkeling-System; rops;
Bomag	BW 120 AC-3	101170611133	2002	2,5 t	articulated; Water-Sprinkeling-System; rops;
Dynapac	CC 122 C	60115069	2000	2,5 t	articulated; Water-Sprinkeling-System; rops;

PADFOOT COMPACTOR

Bomag	BW 219 PDH-3	101580511009	1999	19,5 t	Cab; articulated; All-Wheel-Drive
Vibromax	W 1105 PD	JKC8306900	2000	13 t	articulated; All-Wheel-Drive; rops;

Manufacturer	Type	S/N	Year	Weight	Details
ROLLER TRAIN					
Bomag	BW 177 D-4	101582201241	2006	7,5 t	Cab; articulated; All-Wheel-Drive
Bomag	BW 178 DH-3	101580700112	1997	8 t	articulated; All-Wheel-Drive
Dynapac	CA 25	4971917	1980	12 t	Cab; articulated
Hamm	HW 2304 S	030926184	1981	8 t	Water-Sprinkeling-System
Vibromax	W 1105 D	JKC 8309703	2003	11,5 t	Cab; Air-Condition; articulated
Vibromax	W 1105 D	JKC 8309704	2003	11,5 t	Cab; Air-Condition; articulated
Voest-Alpine	RW 6 D	11011602	1988	5,7 t	Cab; articulated; All-Wheel-Drive

SMOOTH DRUM ROLLER					
Hamm	GRW 10	21693		10 t	4 wheels front; 4 wheels behind;
Hamm	GRW 10	23815		10 t	4 wheels front; 4 wheels behind;

Manufacturer Type S/N Year Weight Details

TANDEM ROLLER

Bomag	BW 100 AD-3	101150511026	1997	2,5 t	articulated; All-Wheel-Drive; Water-Sprinkeling-System
Bomag	BW 120 AD-2	101170500231	1993	2,5 t	articulated; All-Wheel-Drive
Bomag	BW 120 AD-3	101170514342	1999	2,7 t	articulated; All-Wheel-Drive; Water-Sprinkeling-System
Bomag	BW 151 AD-2	101490221127	2000	7,5 t	Cab; articulated; Water-Sprinkeling-System; Cutter
Bomag	BW 151 AD-2	101490221108	2000	7,5 t	Cab; articulated; Water-Sprinkeling-System; Cutter
Bomag	BW 151 AD-2	101490221126	2000	7,5 t	Cab; Water-Sprinkeling-System; stray;
Bomag	BW 151 AD-2	101490221189	2001	7,5 t	Cab; articulated; Water-Sprinkeling-System; Cutter
Bomag	BW 151 AD-2	101490221167	2001	7,5 t	Cab; articulated; Water-Sprinkeling-System; Cutter
Bomag	BW 151 AD-2	101490221183	2001	7,5 t	Cab; articulated; Water-Sprinkeling-System; Cutter
Bomag	BW 154 AD-2	101810341038	2002	8 t	Cab; articulated; Water-Sprinkeling-System; Cutter
Bomag	BW 174 AD	101870511139	2002	9 t	Cutter
Bomag	BW 184 AD	101870301069	2002	13 t	Cab; Cutter
Dynapac	CC 10	5862106	1988	2,5 t	articulated; All-Wheel-Drive
Hamm	DV 06 V	1834269	1992	7 t	Cab; All-Wheel-Drive; Water-Sprinkeling-System; Cutter
Hamm	DV 6.42	38609	1996	7,5 t	Water-Sprinkeling-System; Cutter

TOW BEHIND ROLLER

ABG	MAW 172			6,3 t	
-----	---------	--	--	-------	--

Manufacturer Type S/N Year Weight Details

WALK BEHIND ROLLER

Ammann	AR 65	68116	1995	0,65 t	
Bomag	BW 65 S		1993	0,7 t	
Vibromax	Duplex VMD 62	JCB 2703016	2008	0,6 t	
Vibromax	Duplex VMD 62	JCB 2703015	2008	0,6 t	

MINI PAVER

Dynapac	F 5 C	92267	2001	5,4 t	extension screed 1,20 m - 2,40 m;
Vögele	Super-Boy Typ 6-90	690139	1991	4,6 t	extension screed 1,20 m - 2,20 m;

MOBILE PAVER

ABG-Volvo	Titan 473-2	473 12339	2001	16,5 t	Extension screed 2,50 m - 4,75 m, Type VB 78;
ABG-Volvo	Titan 473-2	47314242	2003	16,5 t	Automatic-Level-System; Extension screed 2,50 m - 4,75 m, Type VB 78; Extension per 75 cm;
Demag	DF 115 P				
Demag	DF 115 P	30247	2003	17 t	Automatic-Level-System; extension screed Type EB 50 ; from 2,5 m -5,0 m; 2x extension 35 cm; Ident Nr.: 90000017
Dynapac	11011 AR	864435	1992	15 t	extension 2,50 m - 4,75 m; engine type.: F6L912F; engine Nr.: 8100150;
Dynapac	F 121 - 6 W	654103	2000	16 t	extension screed 2,5 m - 4,75 m; extension screed Typ VB 850 TV;
Dynapac	F 12-4 W	754353	1999	16 t	extension scree 2,50 m - 4,75 m; 2x extensions 25 cm;
Vögele	Super 1603 Typ 6-73	673055	1998	16 to	Extensions; Automatic-Level-System; Screed from 2,5 m to 4,75 m
Vögele	Super 1803-1 Typ: 07.83	07830118	2004	18 t	Automatic-Level-System; Extension Screed 2,5 m - 5,00 m; Typ AB 500 TV, 2x Extensions 75 cm;

Manufacturer	Type	S/N	Year	Weight	Details
--------------	------	-----	------	--------	---------

TRUCKED PAVER

ABG-Volvo	Titan 325	32510275	1999	16,5 t	Automatic-Level-System; extension screed 2,50 m - 4,75 m;
Vögele	Super 1800 Typ.:6-68	668470	1992	18 t	extension screed 2,50 m - 4,75 m;
Vögele	Super 2500 Typ 6-74	674107	2002	30 t	extension AB 575 TV, Type : 06.AB; 3,00 m - 5,75 m;

IMPACT CRUSHER

Rubble Master	RM 80	RM80-0168	2004	23 t	crawler mobil; vibratingfeeder with prescreen 860 mm x 600 mm; remote control; volumen 2,5 m³; magnet separator;
SBM	10/6/4 RHSM	516503 K	1995	17,7 t	2 achses; rotordiameter 1060 mm; rotor work width 605 mm; Inlet cross-section - width x height 645 x 711 mm; max. 120 t/h

DRILL

Atlas Copco	Roc D 5-01	AVO05A788/8992003 360	2005		
Hütte	HBR 605 D	34502-83	2003	14,5 t	

HYDRAULIC BREAKER

Krupp	HM 350		1995	530 kg	
-------	--------	--	------	--------	--

PROFILER

Bitelli	SF 200 L	BITELLI-98X020164X	2003	30,5 t	minig for asphalt and beton; max. mining depth: 320 mm; max. mining weidth: 2.000 mm;
Wirtgen	W 1000 F	06.10.080261000165	1999	17 t	max. mining weidth: 1000mm; max. mining depth: 315 mm; conveyor; Waterpump;

FORKLIFT

Linde	H 25 D	H2X392N00794	2002	3,7 t	capacity 2,5; lifting height 5050; height 3177;
-------	--------	--------------	------	-------	---

Manufacturer	Type	S/N	Year	Weight	Details
--------------	------	-----	------	--------	---------

CRANE

Conducta	2610/29		1989		load capacity : 750 kg/ 1200 kg/ 1750 kg/ 3500 kg/ overhang : 29 m / 20,4 m/ 15,2 m/ 9 m /
----------	---------	--	------	--	---

CRAWLER CRANE

Liebherr	HS 842 HD	183227	1992	60 t	1. grid boom on machine 3 m; 2 booms a 6 m, 1 boom with 3m; end boom 6,50 m; Max. Hoisting Weight 50 t,
----------	-----------	--------	------	------	---

HYDRAULIC TRUCK CRANE

P&H	Omega S -20	71637	1984	19 t	All-Wheel-Drive; 4 Stabilizer/Outriggers; identnr.: W09S202190DH04579; Max. Hoisting Capacity 18 t; Telescope from 8,35 m until 24,81 m; Swingaway Jib 6,7 m; 4 roles Hook;
-----	-------------	-------	------	------	---

HYDRAULIC TRUCK CRANE

Müller	MS-5H + MSA 44		1990	1,1 to	
--------	----------------	--	------	--------	--

AIR COMPRESSOR

Atlas Copco	XAS 47	YA3-062257-40458097	2004	850 kg	7 bar;
Compair	C 50	WCA1E251071710076	2007	1 t	7 bar; 5 m³/min; 2800/min;
Compair	C-140-9	WCA1L072271110007	2007	2,2 t	Compair L 456; Type : DLT 1302; 13,3 m³/min;
Demag	SC 30				

ATTACHMENT

Komatsu	Boom and Stick for PC 210				convenient for excavator Komatsu PC 210; steel 3,00 m; arm 5,90 m;
---------	---------------------------	--	--	--	--

Manufacturer	Type	S/N	Year	Weight	Details
--------------	------	-----	------	--------	---------

CRANE - HOOK

Liebherr	80 to				Type GZ 505 A, hoisting weight 80 t; SWL 80 t; 6 rolls hook block;
----------	-------	--	--	--	--

CRANE - SWINGAWAY JIB

Liebherr	Doppel Kranspitze				total Länge 10,9 m + 7,4 m; double swing away chip for LTM 1070;
----------	-------------------	--	--	--	--

GENERATOR SET

Atlas Copco	QAS 48	YA3-606318-00516639	2005	1,9 t	45 kVA, 400/230V, 50 Hz, 65 A, PKW Kupplung;
Atlas Copco	QAS30	ARE940442	1991	1 t	27 kVA, 380/440 V, 50/60 Hz, A41 - 35.4;
Caterpillar	3406 Model: SR-4	48811	1991	2,7 t	Generator Frame Nr.: 448; Generator Part Nr.: 5 N 5066; Hertz 50; RPM 1500; 180 KW; 225 kVA;
Caterpillar	C 18		2008		
Gen-Set Mod.	CGM-8DE2	S 2508/03	2003	0,4 t	8 kVA; 400/230V, 50 Hz; 11,5 A;
Gesan	DPS 27	141717	2005	1,2 t	400 / 230 V; 50 Hz; 27 kW
Hitzinger	SGB 507	82256	1985		3 x 220 V; 4 x16 A; 2 x32 A; 3 x64 A, 203 KVA;
Jenbach	308 ECS		1983	3 t	28 kVA
Olympian	GEPX 30-1	OLY00000H11701644	2006	1,3 t	27 kVA, 400/230 V, 50 Hz,
Pramac	GSW-200 200KVA	PEE2310829	2004	2,8 t	Prime Power : 210,64 KVA, 168,51 KW; Standby Power : 168,51 KVA, 176 KW; 50 Hz; 400 V; 317,54 A;

ROAD STABILIZER

Bitelli	ST 200	BITELLI - 100*920027*	1993	16 t	BITELLI (CATERPILLAR) working width 2000 mm; working depth in one passage 480 mm; diameter rotor 1350 mm; cutting tool 46;
---------	--------	-----------------------	------	------	--